




BEARING USA CORP.



15 mm x 35 mm x 15.9 mm KOYO 3202
Angular contact ball bearings

Bearing No. 3202

3202 Bearing 2D drawings and 3D CAD models

Size	15x35x15.9 mm
Bore Diameter	15 mm
Outer Diameter	35 mm
Width	15.9 mm
d	15 mm
D	35 mm
B	15.9 mm
C	15.9 mm
a	23.6 mm
r min.	0.6 mm
da min.	19.5 mm
Da max.	30.5 mm
ra max.	0.6 mm
Weight	0.072 Kg
Basic dynamic load rating (C)	9.70 kN
Basic static load rating (C0)	7.45 kN
(Grease) Lubrication Speed	12000 r/min
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00152
Enclosure	Open



BEARING USA CORP.

Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	Yes
Snap Ring	No
Cage Material	Steel
Contact Angle	32 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	15MM Bore; 35MM Outside Diameter; 15.9MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; Yes Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 32 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.koyousa.com
Bore	0.591 Inch 15 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Width	0.626 Inch 15.9 Millimeter
Bearing No.	3202
r(min)	0.6
Cr	12.1
C0r	7.45



BEARING USA CORP.

Cu	0.390
Grease lub.	12000
Oil lub.	16000
da(min)	19.5
da(max)	-
Da(max)	30.5
ra(max)	0.6
(Refer.)Mass(kg)	0.072