




BEARING USA CORP.



50 mm x 110 mm x 27 mm SKF 7310 BEGAPH Angular contact ball bearings

Bearing No. 7310 BEGAPH

7310 BEGAPH Bearing 2D drawings and 3D CAD models

| | |
|---|--------------|
| Size | 110x50x27 mm |
| Bore Diameter | 110 mm |
| Outer Diameter | 50 mm |
| Width | 27 mm |
| d | 50 mm |
| D | 110 mm |
| B | 27 mm |
| d ₁ | 73.8 mm |
| d ₂ | 61.13 mm |
| D ₁ | 88.8 mm |
| a | 47 mm |
| r _{1,2} - min. | 2 mm |
| r _{3,4} - min. | 1 mm |
| d _a - min. | 61 mm |
| D _a - max. | 99 mm |
| D _b - max. | 104 mm |
| r _a - max. | 2 mm |
| r _b - max. | 1 mm |
| Basic dynamic load rating - C | 75 kN |
| Basic static load rating - C ₀ | 51 kN |
| Fatigue load limit - P _u | 2.2 kN |
| Reference speed | 8000 r/min |
| Limiting speed | 8000 r/min |
| Calculation factor - k _r | 0.1 |



BEARING USA CORP.

| | |
|---------------------------------|-------------------------------|
| Calculation factor - k_a | 1.6 |
| Calculation factor - e | 1.14 |
| Calculation factor - X | 0.57 |
| Calculation factor - Y_0 | 0.52 |
| Calculation factor - Y_1 | 0.55 |
| Calculation factor - Y_2 | 0.93 |
| Calculation factor - X | 0.35 |
| Calculation factor - Y_0 | 0.26 |
| Calculation factor - Y_1 | |
| Calculation factor - Y_2 | 0.57 |
| Category | Angular Contact Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 1.07 |
| EAN | 7316572839751 |
| Product Group | B00308 |
| Enclosure | Open |
| Flush Ground | Yes |
| Rolling Element | Ball Bearing |
| Number of Rows of Balls | Single Row |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Snap Ring | No |
| Cage Material | PEEK |
| Contact Angle | 40 Degree |
| Internal Clearance | C0-Medium |
| Number of Bearings | 1 (Single) |
| Preload | Light |
| Mounting Arrangement | Universal |



BEARING USA CORP.

| Inch - Metric | Metric |
|--------------------------------|--|
| Long Description | 50MM Bore; 110MM Outside Diameter; 27MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; PEEK Cage; 40 Degree; 1 (Single); L |
| Category | Angular Contact Ball Bearing |
| UNSPSC | 31171531 |
| Harmonized Tariff Code | 8482.10.50.28 |
| Noun | Bearing |
| Keyword String | Angular Contact |
| Manufacturer URL | http://www.skf.com |
| Manufacturer Item Number | 7310 BEGAPH |
| Width | 1.063 Inch 27 Millimeter |
| Bore | 1.969 Inch 50 Millimeter |
| Outside Diameter | 4.331 Inch 110 Millimeter |
| d_1 | 73.8 mm |
| d_2 | 61.13 mm |
| D_1 | 88.8 mm |
| $r_{1,2}$ min. | 2 mm |
| $r_{3,4}$ min. | 1 mm |
| d_a min. | 61 mm |
| D_a max. | 99 mm |
| D_b max. | 104 mm |
| r_a max. | 2 mm |
| r_b max. | 1 mm |
| Basic dynamic load rating C | 75 kN |
| Basic static load rating C_0 | 51 kN |
| Fatigue load limit P_u | 2.16 kN |
| Calculation factor A | 0.0418 |



BEARING USA CORP.

| | |
|--------------------------|--------|
| Calculation factor k_r | 0.1 |
| Calculation factor e | 1.14 |
| Calculation factor X | 0.35 |
| Calculation factor Y_0 | 0.26 |
| Calculation factor Y_2 | 0.57 |
| Calculation factor X | 0.57 |
| Calculation factor Y_0 | 0.52 |
| Calculation factor Y_1 | 0.55 |
| Calculation factor Y_2 | 0.93 |
| Mass bearing | 1.1 kg |